	Application No.	Applicant(s)
Notice of Allowability	10/719,880	KASAPI ET AL.
	Examiner	Art Unit
	Tuan H. Le	2622
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to 20 November 2003.		
2. The allowed claim(s) is/are <u>1-12</u> .		
 3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). * Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. 		
 THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient. 		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)	E Nation of Informal D	Data at Augliogija
 Notice of References Cited (PTO-892) Dotice of Draftperson's Patent Drawing Review (PTO-948) 	5. ☐ Notice of Informal P6. ☐ Interview Summary	
	Paper No./Mail Dat	te
 Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date 	7. 🛛 Examiner's Amendr	nent/Comment
4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. ⊠ Examiner's Stateme	ent of Reasons for Allowance

Application/Control Number: 10/719,880

Art Unit: 2622

DETAILED ACTION

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as follows:

Paragraph [0033], line 14 is now amended as "the shutter motion between the images to be 166 pixels."

In claims 1 and 5, "the location of a shutter" is now amended as "a location of a shutter."

Allowable Subject Matter

Claims 1-12 are allowed.

The following is an examiner's statement of reasons for allowance:

The closest prior art (U.S. Pat. 6,621,275 B2) teaches, in the very least, a system for testing an integrated circuit chip comprising an illumination source, an optical imager, a mechanized shutter, and a controller. According to this prior art, during navigation and target acquisition, a device is illuminated and is imaged with an image intensifier. The mechanized shutter is used to variably define imaging areas within the field of view of collection optics. As long as the area of interest is in the field-of-view of the optics, one can isolate the area of interest with the shutter. Then, the shutter may be adjusted to increase or decrease the field of view as appropriate for the particular test desired.

Application/Control Number: 10/719,880

Art Unit: 2622

However, the closest prior art does not teach or fairly suggest obtaining functions by summing the pixels of first and second images corresponding to first and second shutter positions, respectively, in the direction perpendicular to the shutter's direction motion. Furthermore, this closest prior art does not obtain a difference function by subtracting first function from the second function, so as to obtain a recognizable peak in said difference function.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Tuan H. Le whose telephone number is (571) 270-1130. The examiner can normally be reached on M-Th 7:30-5:00 F 7:30-4:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David L. Ometz can be reached on (571) 272-7593. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/719,880

Art Unit: 2622

Page 4

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Tuan Le

February 5, 2007

SUPERVISORY PATENT EXAMINER